



IN230400269V01_US

B40-021_E8-0001



EN_IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.

FR_IMPORTANT: A LIRE ATTENTIVEMENT ET À CONSERVER POUR CONSULTATION ULTÉRIEURE.

ES_IMPORTANTE, LEA Y GUARDE PARA FUTURAS REFERENCIAS.

PT_IMPORTANTE, RETER PARA REFERÊNCIA FUTURA: LEIA ATENTAMENTE.

DE_WICHTIG! SORGFÄLTIG LESEN UND FÜR SPÄTER NACHSCHLAGEN AUFBEWAHREN.

IT_IMPORTANTE! CONSERVARE IL PRESENTE MANUALE PER FUTURO RIFERIMENTO E LEGGERLO ATTENTAMENTE.

EN

Dear customer,

Thank you for purchasing this product. So that your appliance serves you well, please read all the instructions in this user's manual. If you have any questions, please contact our customer care center, Our contact details are below:

FR

Cher client,

Nous vous remercions d'avoir acheté ce produit. Afin que vous puissiez profiter pleinement de votre appareil, veuillez lire toutes les instructions de ce manuel d'utilisation. Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle, Nos coordonnées sont les suivantes:

DE

Sehr geehrter Kunde,

Vielen Dank, dass Sie dieses Produkt erworben haben. Damit Ihr Gerät Ihnen gute Dienste leistet, lesen Sie bitte alle Hinweise in diesem Benutzerhandbuch. Wenn Sie Fragen haben, wenden Sie sich bitte an unser Kundendienstzentrum, Unsere Kontaktdaten stehen unten:

ES

Queridos clientes,

Gracias por comprar este producto. Para que su electrodoméstico le sirva mejor, lea todas las instrucciones de este manual del usuario. Si tiene alguna pregunta, comuníquese con nuestro Centro de Atención al Cliente, Nuestros datos de contacto son los siguientes:

PT

Caros clientes,

Obrigado por adquirir este produto. Para que o seu aparelho o sirva melhor, leia todas as instruções deste manual do utilizador. Se tiver alguma dúvida, por favor contacte o nosso Centro de Atendimento ao Cliente, Os nossos dados de contacto são os seguintes:

IT

Caro Cliente,

Grazie per aver acquistato questo prodotto. Per servirti meglio con questo apparecchio ti prego di leggere tutte le istruzioni in presente manuale utente. In caso di dubbio, si prega di contattare il nostro centro assistenza clienti, I nostri dettagli di contatto sono di seguito:

Country	 Phone	 Email
US	001-877-644-9366	customerservice@aosom.com
CA	416-792-6088	customerservice@aosom.ca
UK	0044-800-240-4004	enquiries@mhstar.co.uk
DE	0049-0(40)-88307530	service@aosom.de
FR	0033-1-84166106	aosom@mhfrance.fr
ES	0034-931294512	atencioncliente@aosom.es
PT	0034-931294512	info@aosom.pt
IT	0039-0249471447	clienti@aosom.it



Product Introduction

The Labor Saving Wrench, the assistant for dismantling and assembling tires, is made from advanced metal alloy steel, bears precise and fine hot processing craft and is of a multiple-planet tire system of combination, It has characteristics of good hand feeling, small dimension, light weight, using conveniently, It can be used to dismantle and assemble all sizes of vehicles' tires, when your vehicle' s tire needs to be changed on your way in an emergency. Using it can not only save your time but also your strength, it is really an ideal tool for all the drivers on their way.

The Sketch Map For Operating

A、Operating Methods

- 1、Pack the fengpao socket wrench into the output end linked a handle, the other end is packed by the rocker arm;
- 2、Pack the fengpao socket wrench into the screw nut which is to dismantle or fasten, meanwhile pay attention to your turning direction, turn the rocker arm in the direction which make the handle close to the side of another screw bolt to the extend that handle is closely against the side of the Screw bolt;
- 3、When the screw nut is loosened , replace it with long pole, and dismantle it promptly, (when fastening, first have a quick action to turn the long pole into, then use this wrench to turn it tightly)

B 、 Regulations Need To Be Attention

- 1、 When fasten the screw nut, don' t use more than $100\text{N} \cdot \text{m}$.when the rocker arm is to rebound half circle, which means the screw nut has been fastened to arrive the firm point.Remember overuse your strength may Damage the screw nut itself or even this tool.
- 2、 Don' t use it as a strike tool.
- 3、 Don' t connect a socket wrench or a pinch bar with the rocker arm then add your strength when you use it.
- 4、 Special attention: if you have already use considerable strength but still can' t loosen the screw nut,this moment you should check your turning direction of the screw nut whether the rocker arm is turned in the opposite Direction.

C 、 After-Sale Service

After this product is sold , within six months, if this product' s damage is caused by it' s quality with normal use, we the manufacturer will be responsible for it, if this product' s damage is caused by false use (mainly caused by overuse the strength) , the customs have to afford the expenses of replacing the spare parts yourselves, and we manufacturer will offer the parts to you at the producer price.



1 loosen it



2 quickly un-screw



3 quickly screw



4 fasten it

US

Imported by Aosom LLC
27150 SW Kinsman Rd Wilsonville, OR 97070 USA
MADE IN CHINA

CA

Imported by Aosom Canada Inc.
7270 Woodbine Avenue, Unit 307, Markham, Ontario Canada
L3R 4B9
MADE IN CHINA

Importé par Aosom Canada Inc.
7270 Woodbine Avenue, unité 307, Markham, Ontario Canada
L3R 4B9
Fabriqué en Chine

UK

IMPORTER ADDRESS:
MH STAR UK LTD
Unit 27, Perivale Park,
Horsenden lane South
Perivale, UB6 7RH
MADE IN CHINA

FR

ADRESSE D'IMPORTATION:
MH FRANCE
2 Rue Maurice Hartmann
92130 Issy Les Moulineaux
France
FABRIQUÉ EN CHINE

ES

IMPORTADOR:
SPANISH AOSOM, S.L.
C/ROC GROS,Nº15.08550, ELS HOSTALET DE BALENYÀ, SPAIN.
B66295775
WWW.AOSOM.ES
ATENCIONCLIENTE@AOSOM.ES
TEL: 931294512
HECHO EN CHINA

PT

SPANISH AOSOM, S.L
C.ROC GROS N.15, 08550. ELS HOSTALET DE BALENYÀ
TEL: 931294512 (SEG-SEX DAS 7:30H ÀS 16:30H)
INFO@AOSOM.PT
WWW.AOSOM.PT

DE

ADRESSE DES IMPORTEURS:
MH Handel GmbH
Wendenstraße 309
D-20537 Hamburg
Germany
IN CHINA HERGESTELLT

IT

IMPORTATO DA:
AOSOM Italy srl
Centro Direzionale Milanofiori
Strada 1 Palazzo F1
20057 Assago (MI)
P.I.: 08567220960
FATTO IN CINA