

Wall pull-up bar instructions

READ AND SAVE THESE INSTRUCTIONS FOR FUTURE USE

ASSEMBLY INSTRUCTION

Product parameter description

Product Name	Wall pull-up bar
Model Number	D4600
Material:	Steel , Foam
Install Size	700mmX905mmX305mm
Packing Size	985mmX215mmX100mm
N/W	4.3KG
G/W	5KG
Max LoadingWeight	150KG

Note:

Install fixed expansion screws, please find a professional drilling master, according to the wall conditions and height of the wall, the order is drilling, alignment, knocking, hole and fixing.




Applicable objects:



Office workers, students, fitness coaches and other young and old.

Taboo:

It is forbidden to use after drinking, sickness, etc


Inside box components

 A technical drawing of a support frame combination, showing a long horizontal bar with a vertical bracket on one end and a smaller horizontal piece on the other.	Support frame combination	2PCS
 A technical drawing of a long rod combination, consisting of several cylindrical segments joined together.	Long rod combination	1PCS
 <p>Wall pull-up bar instructions</p> <p>Before using this equipment, please read the instructions carefully and keep it properly.</p>	Instruction manual	1PCS

 A technical drawing of a plum blossom knob, which is a decorative, multi-faceted cylindrical component.	Plum blossom knob	2PCS
 A technical drawing of a hardware screw package, showing various screws and bolts of different sizes and types.	Hardware screw package	1PCS

Assembly steps

Step 1: Use two M10*100 Semicircular head inner hexagon screw , two flat washers and two plum blossom knobs to fix the Long rod combination with the two support frame combination. The tool is a 6# Allen wrench. (As shown on the right)



The last step: use the electric drill to drill 8 holes in the appropriate height of the appropriate wall, and fix it with 8 expansion screws (according to the precautions)

US



001-877-644-9366
customerservice@aosom.com

CA



001-855-537-6088
customerservice@aosom.ca

UK



0044-800-240-4004
enquiries@mhstar.co.uk

DE



0049-(0)40-88307530
service@aosom.de

FR



0033-1-84166106
contact@aosom.fr

ES



0034-931294512
atencioncliente@aosom.es

IT



0039-0249471447
clienti@aosom.it