




MIDSIZE BASKETBALL SYSTEM-OWNERS MANUAL

▪ Midsize basketball System

A61-005




Notice to assemblers:

All the basketball systems, including those used for displays, must be assembled and ballasted according to instructions. Failure to follow instructions could result in serious injury. Please read all warnings and cautions. It is recommended to supervise children as they play with this product. This product is to be assembled by adults only!

We appreciate your purchasing one of our many fine products. We are assure that you will be very satisfied with your selection.

Photo's for Parts List(See page4):




POLE CARE AND SYSTEM MAINTENANCE:

The live of your basketball system depends on many variables. The climate, exposure to corrosives such as salt, pesticides or herbicides and excessive use or misuse can all contribute to pole failure, which may cause property damage or personal injury.

Check your basketball system frequently for loose hardware, excessive wear and signs of corrosion. For safety reasons and to prolong the life of your basketball system, you must take the following preventive measures:


- Check all nuts and bolts.If any are loose, tighten them.
- Check all parts for excessive wear and tear.If necessary, replace any parts that have been worn or damaged through usage. Contact our customer service department for replacement parts.
- Inspect the warning sticker on the pole. If it is ripped, faded or illegible, call our customer service department to request a replacement sticker.
- Check all pole sections for visible rust, chipped or cracked paint.If either are present, do the following:
 1. Use an emery cloth to completely remove any rust or chipped paint.
 2. Clean the area with a damp cloth and allow it to dry.
 3. Apply two coats of a rust preventative, high gloss enamel to the area. Allow the paint to dry between two coats.



!!WARNING!!

FAILURE TO COMPLY WITH THESE WARNINGS COULD RESULT IN INJURY. FAILURE TO COMPLY COULD ALSO RESULT IN PROPERTY DAMAGE.

- Never hang from the rim or climb on the pole as injury or property damage could occur. For these reasons do not perform dunking type activities on this system as it is not designed for such use. Do not allow children to climb on the basketball system.
- Never leave the unit assembled without weight in the tank!
- Check the tank frequently for leaks or a loose cap. Slow leakage could cause the system to tip over unexpectedly and damage the floor if used inside.
- Further check before each use if all fittings and hardware are tight
- Climate, corrosion or misuse could result in system failure.
- This system is not intended for children 3 and under.
- All players must use sufficient guards when playing.
- To store the system: Drain the water from the tank and dismantle the system. Store in a dry ventilated place.
- If technical assistance is required, contact the manufacturer. *Most injuries are caused by misuse and/or failure to follow instructions. Use caution when using the system.*




Parts List (See page 2 and 3 for photo's)		
Item	Qty.	Description
A	4	Bolt sets to fasten top pole section and rim to backboard
B	2	Bolt sets to fasten lower struts to tank
C	2	Bolt sets to fasten left and right top struts to backboard
D	1	Bolt set to fasten middle top strut to backboard
E	1	Bolt set to fasten lower struts to bottom pole section
F	1	Bolt set to fasten three top struts to top pole section
G	1	Eyebolt set to fasten bottom pole and wheel bracket to the front tank
H	2	Spacers for between the wheels and tank
I	2	Wheels
J	1	Wheel bracket
K	1	Wheel axle
L	1	Rod to fasten Eyebolt set to bottom pole section
M	1	T Strap
N	1	Tie down stake
O	1	Net
P	1	Rim
Q	1	Tank
R	1	Top Pole Section
S	1	Middle Pole Section
T	1	Bottom Pole Section
U	1	Lower left strut
V	1	Lower right strut
W	1	Top left strut
X	1	Top middle strut
Y	1	Top right strut
Z	1	Backboard (Not pictured)
AA	1	Tank cap (Not pictured)

Securing Basketball set:

- Check if all bolts and nuts have been securely fastened.
- Place assembled unit to the desired location. Fill the tank with water or sand and put the tank cap(AA) in place. Insert T-strap(M) through the slot in back of tank as shown in sketch below. Secure unit to ground by twisting tie down stake(N) into the ground and hooking T-strap(M) onto tie down stake(N) .

Important: It is not recommended to use the system outdoors in freezing/subzero conditions. We recommend during windy conditions to move unit to shelter.



Height adjustment of backboard:

- Unscrew the locking screws on the middle pole section(S) and lift or lower the top pole section until the required backboard height has been reached.
- Tighten the locking screws on the middle pole section(S) to fix the top pole section(R) at it's position.

Note: The poles must be inserted into each other for **at least 11cm!**




Photo12 and 14:


- Unscrew the locking screws on the middle pole section(S) and slide the top of the middle pole section(S) over the bottom of the top pole section(R).
- We recommend sliding the top pole section(R) completely into the middle pole section(S). This makes it easier further on to place the complete assembled top section into the bottom pole section.
- Tighten the locking screws on the middle pole section(S) to fix the top pole section(R) at its position.
Note: The poles must be inserted into each other for **at least 11cm!**

Photo13 and 14:

- Unscrew the locking screws of the bottom pole section(T) and slide the middle pole section(S) with the completely assembled top into the bottom pole section(T) until you reach the standstill position.
Note: Two people recommended for this step.
- Tighten the locking screws on the bottom pole section.
Note: The poles must be inserted into each other for **at least 11cm!**
Warning! Do not leave assembled unit unattended when empty. (May tip over!)

Installin Net:

- Install net(O) to the rim(P) as shown.



Assembly Instructions(photo's)




PHOTO 1




PHOTO 2




PHOTO 3




PHOTO 4




PHOTO 5




PHOTO 6

Assembly Instructions(photo's)




PHOTO 7




PHOTO 8




PHOTO 9




PHOTO 10




PHOTO 11




PHOTO 12




PHOTO 14



PHOTO 13

Assembly Instructions (text):

- Take the tank, backboard, rim and other parts out of the box.
- Check with help from the parts list if all parts are present.

Photo 1:

- Identify the bottom pole section(T) and fasten the eyebolt(G) with rod(L) to the bottom.

Photo 2:

- Insert the wheel axel(K) into the wheel bracket(J) and place the wheels(I) and spacers(H) at each end as shown on photo.

Photo 3 and 4:

- Fasten the bottom pole section(T) and the wheel bracket(J) with wheels(I) to the front tank(Q) with eyebolt set(G).
- The tank(Q) has a special square shaped hollow space into which the bottom pole section(T) exactly fits.

Note: Two people recommended for this step.

Important! Do not over tighten!

Photo 5 and 6:

- Fasten the lower left strut(U) and the lower right strut(V) to the tank(Q) with bolt sets(B) and to the bottom pole section(T) with bolt set(E)

Photo 7 and 8:

- Fasten the rim(P) and top pole section(R) to the bottom of the backboard(Z) with bolt sets(A). Bolts must be put into the holes from front backboard to back.

Note: Because both the rim(P) and top pole section(R) must be fastened simultaneously with bolt sets(A) to the backboard(Z), we recommend two people for this step.

Photo 9, 10 and 11:

- Fasten the top left strut(W), top middle strut(X) and top right strut(Y) to the backboard(Z). Use bolt sets(C) for to fasten the left and right top struts and bolt set(D) for to fasten the middle top strut to the backboard.

Note1: Hand tight only!

Note2: The strut-ends with round holes should be connected to the backboard.

- Now fasten the top struts to the top pole section(R) with bolt set(F). Place the left strut-end over the right strut-end with the middle strut-end on top.

Note: The strut-ends with the longer oval shaped holes should be connected to the top pole section.

- Now all bolts can be tightened.

Manuel d'installation

Panier de basket taille moyenne

A61-005 FR



Notice d'assemblage :

Le produit doit être assemblé et lesté selon les instructions. Si vous ne respectez pas les instructions vous risquerez de vous blesser.


Nous vous invitons à lire toutes les mises en gardes. Les enfants doivent être surveillés lorsqu'ils jouent avec le produit. Le panier de basket doit être monté uniquement par des adultes.

Nous vous remercions de votre achat et nous vous assurons que le produit répondra à vos attentes.

Liste des pièces (voir page 4)



Liste des pièces (voir page 4)



Liste des pièces (voir les pages 2 et 3 pour les photos)		
Pièce	Quantité	Description
A	4	Vis/boulon pour fixer le panneau au poteau
B	2	Vis/boulon pour fixer les barres à la base
C	2	Vis/boulon pour fixer les barres gauche et droite au panneau
D	1	Vis/boulon pour fixer la barre du milieu au panneau
E	1	Vis/boulon pour fixer les barres du bas au poteau
F	1	Vis/boulon pour fixer les 3 barres du haut au poteau
G	1	Boulon à anneau pour fixer le poteau, le support des roulettes à la base
H	2	Rondelles
I	2	Roulettes
J	1	Support des roulettes
K	1	Axe des roulettes
L	1	Tige pour fixer le boulon à anneau au poteau
M	1	Attache
N	1	Sardine
O	1	Filet
P	1	Arceau
Q	1	Base
R	1	Haut du poteau
S	1	Milieu du poteau
T	1	Bas du poteau
U	1	Barre Bas/Gauche
V	1	Barre Bas/Droite
W	1	Barre Haut/Gauche
X	1	Barre Haut/Milieu
Y	1	Barre Haut/Droite
Z	1	Panneau (pas photographié)
AA	1	Bouchon de la base (pas photographié)

Photos de l'assemblage :




PHOTO 1




PHOTO 2




PHOTO 3




PHOTO 4




PHOTO 5




PHOTO 6

Photos de l'assemblage (suite):




PHOTO 7




PHOTO 8




PHOTO 9




PHOTO 10




PHOTO 11




PHOTO 12




PHOTO 14




PHOTO 13

Instruction d'assemblage

- Sortez la base, le panneau et les autres pièces du carton.
- Vérifier que toutes les pièces soient présentes en vous référant à la liste.

Photo 1 :

Prenez la partie basse du poteau(T) et attaché le boulon à anneau(G) avec la tige (L).

Photo 2 :

- Insérez l'axe des roulettes(K) dans le support des roulettes(J) et placez les roulettes(I) et les rondelles(H) à chaque extrémité comme indiqué sur la photo.

Photo 3 et 4 :

- Fixez le bas du poteau(T) et le support à roulettes(J) avec les roulettes(I) sur le devant de la base(Q) avec le boulon à anneau(G).
- La base(Q) a un trou rectangulaire spécialement adapté pour le bas du poteau(T).

Note : Il est recommandé d'être à deux pour cette étape

Important ! Ne pas serrer trop fort !

Photo 5 et 6 :

- Fixez les barres basses gauche(U) et droite(V) à la base(Q) avec le jeu de boulons (B) et au bas du poteau(T) avec le jeu de boulon(E).

Photo 7 et 8 :

- Fixez l'arceau(P) et la partie haute du poteau(R) à l'arrière du plateau(Z) avec le jeu de boulons (A). Les boulons doivent être insérés par l'avant à l'arrière du panneau.

Note : Comme l'arceau(P) et la partie haute du poteau(R) doivent être fixé simultanément avec le jeu de boulon (A), nous vous recommandons d'être à deux pour cette étape.

Photo 9, 10 et 11 :

- Fixez les barres hautes gauche(W), milieu(X) et droite (Y) au panneau (Z). Utilisez le jeu de boulons(C) pour fixer les barres gauche et droite et le jeu de boulon D pour la barre du milieu.

Note 1 : Fixez à la main

Note 2 : Le bout des barres avec des trous ronds doit être connecté avec le panneau.

- Fixez maintenant les barres avec la partie haute du poteau(R) avec le jeu de boulon(F). Placez l'extrémité de la barre gauche sur la droite et celle du milieu par-dessus les deux.

Note : Le bout des barres avec des trous ovales doit être connecté avec la partie haute du poteau.

- Vous pouvez maintenant resserrer tous les boulons.

Photo 12 et 14 :

- Dévissez les vis sur le milieu du poteau(S) et insérez la partie haute du poteau(R).
- Nous vous recommandons d'insérer complètement la partie haute du poteau(R) dans le milieu du poteau(S) afin d'emboîter plus facilement l'ensemble avec la partie basse du poteau.
- Revissez les vis sur le milieu du poteau (S) pour fixer la partie haute(R).

Note : Les deux parties doivent être insérées d'**au moins 11cm !**

Photo 13 et 14 :

- Dévissez les vis sur la partie basse du poteau(T) et insérez la partie supérieure du poteau jusqu'à ce que le tout tienne en place.

Note : Il est recommandé d'être à deux pour cette étape

- Resserrez les vis sur la partie basse du poteau.


Note : Les deux parties doivent être insérées d'**au moins 11cm !**

Attention ! Ne laissez l'ensemble sans surveillance tant que la base n'est pas remplie.

(Risque de renversement)

Installation du filet :


- Installez le filet(O) sur l'arceau(P) comme indiqué.



Sécuriser le Panier de Basket :

- Vérifiez si les boulons et vis sont correctement fixés.
- Placez le panier à l'endroit désiré. Remplissez la base d'eau ou de sable et refermez avec le bouchon(AA). Insérez l'attache(M) à l'arrière de la base comme indiqué ci-dessous. Fixez la base au sol en faisant passer la sardine(N) dans l'attache(M) et plantez-la dans le sol.


Important : Il est déconseillé d'utiliser le produit lorsqu'il fait -0°C. Nous vous recommandons de rentrer le panier à l'intérieur les jours où le vent souffle fort.



Ajuster la taille du panier :

- Dévissez les vis sur le milieu du poteau(S) et élevez ou abaissez la partie haute du poteau jusqu'à atteindre la hauteur désirée.
- Resserrez les vis sur le milieu du poteau(S) pour fixer la partie haute du poteau(R).

Note : Les deux parties doivent être insérées d'au moins 11cm !



!!ATTENTION !!

NE PAS TENIR COMPTE DE CES AVERTISSEMENTS PEUT ENTRAÎNER DES ACCIDENTS ET DES DOMMAGES SUR LE PRODUIT.

- Ne vous pendez pas à l'arceau ou grimper au poteau. Ne faites pas de dunk sur la panier, il n'est pas adapté pour. Ne laissez pas les enfants grimper dessus.
- Ne laissez pas le panier assemblé sans remplir la base !
- Vérifiez régulièrement la base pour éviter les fuites et la perte du bouchon. Une fuite peut entraîner le basculement du panier.
- Vérifiez que les vis et boulons soient toujours bien fixés.
- Le climat, la corrosion et une mauvaise utilisation peuvent abîmer le panier.
- Le panier ne doit pas être utilisé par des enfants de moins de 3 ans.
- Utilisez le panier de manière responsable.
- Pour ranger le panier : videz la base et démontez le panier. Rangez-le dans un endroit sec et aéré.

La majorité des blessures sont causées par une mauvaise utilisation de l'article et le non-respect des instructions.