



Children's scooter 5 IN 1

*Suitable for children of 1-8 years old.

*Max weight: 60 kg.

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY

ASSEMBLY INSTRUCTION

A x 1



B x 1



C x 1




D x 1




E x 1



02



03



04



05



Done

Congratulations on purchasing this scooter. Read the instruction manual carefully before starting ride. It contains important safety requirements and comprehensive instructions for use and maintenance. Save the guide for the future so you can check back later. We wish you a pleasant ride!

SAFETY REQUIREMENTS

1. Before let your child ride, make sure that it is securely assembled: the steering pipe is properly secured in a designated area, all screws are firmly tightened. Also check the reliability of the wheel attachment and be sure that there are no rubbing marks that could cause the break. Before each ride, the scooter must be thoroughly checked by an adult.
2. Attention! A pedestrian must wear appropriate personal protective equipment such as a cyclist helmet, protective palms, elbows and road shields, and wear shoes with rubber boots.
3. Do not allow children to ride on steep slopes. The pick up brake is not suitable for stopping at high speed.
4. The brakes become hot when the brakes are stopped. Do not let the children press the brake for long periods of time or operate the brake. Explain that contact with the hot brake can cause severe burns on the skin.
5. Do not let children ride at speeds greater than 5 km / h. Roads, gravel roads and other motorized traffic areas.
6. Adhere to the traffic rules strictly. Do not go for a walk on public roads.
7. Only one person can go on a scooter one day.
8. Do not ride through the dark at night or in low visibility conditions.
9. Do not run on a scooter under wet conditions.
10. Teach your child to ride a new scooter. Make sure he will not be lagging behind the scooter, irresponsibly and will avoid risky maneuvers. Match the driving pattern to your child's experience.
11. Do not attempt to change the fitting design. In this way, the right to warranty service is lost.
12. Maximum weight for a rider: 60 kg.
13. Attention! Retightening the axle screws several times reduces their locking properties. This means that they can relax in their own way. Be sure to be sure of tightening these bolts.

WARNINGS

1. Before riding a scooter, make sure the steering wheel is securely locked.
2. This scooter, by the way, all rollers, skateboards, bikes, and so on. Absolutely safe sporting equipment is not available. Even in perfect condition such inventory poses a certain risk of use.
3. When riding this scooter, always wear a safety helmet. Crash from a helmet without a helmet can cause serious or even fatal injuries. Attention! Wear personal protective equipment.
4. Do not run scratchy in rainy weather or wet with wet weather.
5. Do not scoot around during dark days or in low visibility situations, as this behavior can lead to serious crashes and severe injuries.
6. Always wear specified personal protective equipment. In addition, it is recommended to wear a vivid and reflective vest.
7. Attention! The brake is heavily heated during braking.
8. Attention! There are small parts.
9. Maximum child weight: up to 60 kg.
10. Suit for the max body height: 105cm

1. Drive responsibly. Nutrition and collisions can be the cause of injury to a rider or other person.
2. For a long time, some parts of it may be covered by a rust layer after a certain period of time.

In most cases, this happens when you continue to ride around the water bodies and leave the scooter for a long time outdoors.

MAINTENANCE

Regularly check the tightening of the bolts and the technical condition of the wheels. When you notice that the wheels are worn, replace them with new ones. When you have finished riding, scrub with a damp cloth.

COLLECTION

1. Remove the pedal and lever
2. Insert T-shaped steering wheel, press firmly.
3. First, align the base bracket according to the seat's future position.
4. Insert the seat bracket into the screwed base bracket. Insert the seat in front of the T-shaped steering socket and secure it
5. Tighten the seat bolt with the bolt
6. Fasten the black holder by inserting it into the fitted cavity at the base of the scooter.
7. Insert the rear handle, press firmly.
8. Tighten the plastic sheet in a semicircle with screws.
9. Fasten the basket to the T-shaped steering wheel.
10. Collection complete.

