


INffa070_UK

340-005



Assembly instructions


- Please check if there are any omissions in the instructions
- Please pay attention to the precautionswhen assembling

CA CE


IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY

ASSEMBLY INSTRUCTION

Accessory name








Adjustment lever: 2pcs

Single lever: 1pcs




Base lever: 2pcs




Scerw: 10pcs+spare 1pc

Accessory name




Way of assembly

To ensure safety, it is recommended that 2 people assemble at the same time.




Open the main shelf, screw on the adjusting disc after unfolding (as shown in the figure)


Way of assembly



Connect the knob and tighten




Important: In the direction of the main lever, the tightening knob needs to face the outside, otherwise the horizontal lever cannot be installed with screws. Connect the accessories and tighten the screws.




Way of assembly

Adjustment guidelines




Loosen the knob first, put the adjusting lever into a suitable height and tighten it.




The grip of the horizonta lever is combined with the adjustment bar and locked with screws Note: The adjustment knob needs to face outwards, if the adjustment knob faces inward, there will be no corresponding holes.

Height adjustment




Left and right adjustment knobs: Loosen the knobs on the 2 sides first, when the adjustment lever can be turned, you can adjust the height, and then tighten the knob.






After the adjustment on both sides is at the same height level (there is a scale line on the adjustment rod, and the scale line shall prevail), after the adjustment rods on both sides are raised to the same height at the same time, tighten the knob.



Base disc: when there is a gap with the ground, just rotate and adjust to contact with the ground.

Way of folding



Hold the safety folding lever with both hands at the same time, and pull upwards, the equipment can be folded and closed, as shown in the figure

