




INfka014V01_US_CA

331-005



**Age for 18 months +
Maximum Loading: 20kgs**


**Âge pour 18 mois +
Charge maximale: 20kgs**

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY




ASSEMBLY INSTRUCTION

PACKING DETAILS: TOTAL 2 BOXES




BOX-1/2

NO.	PARTS	QTY
L		3





BOX-2/2

NO.	PARTS	QTY
G		4
H		1
I		2
J		2
K		1
M		2
N		2
O		1

BOX-2/2

NO.	PARTS	QTY
P		1
Q		1
R		1
S		1
T		2
U		22
V		18
W		2


BOX-2/2

NO.	PARTS	QTY
A		3
B		1
C		2
D		6
E		1
F		1

A x 2+1



C x 2




D x 4+2




B x 1




E x 1



F x 1



G x 4




H x 1




I x 2




J x 2




K x 1




L x 3




M x 2




N x 2



O x 1




P x 1



Q x 1



R x 1



S x 1



T x 2



U x 20+2




V x 17+1




W x 2




O x 1**P** x 1**T** x 2**K** x 1


1. Connect the long slide plate and the short slide plate and tighten the iron screws.

M x 1**N** x 1**A** x 1**U** x 7


2. Install the slide length guardrail M, N to one side of the slide.

M x 1**N** x 1**A** x 1**U** x 7


3. Install the slide length guardrail M, N to one side of the slide.

G x 4**L** x 1**V** x 5


4. Install the slide plate and pedals on a slide side plate, and tighten the flower-shaped nut.

L x 1**V** x 5

5. Install the corresponding hole on the other slide side plate and tighten the flower-shaped nut.

B x 1**C** x 2**E** x 1**F** x 1**U** x 6

6. Install the swing backrest, swing side panels and swing armrests on the swing base and tighten the cross nut.


D x 4**J** x 2**Q** x 1**V** x 1

7. Install the spring buckle to the holes at both ends of the beam, pass through the swing side plate, fix it with the swing buckle, install the connecting buckle, and finally fix the slide side plate.

I x 2

W x 2

V x 2




8. Install the swing base on the side plate of the slide.

L x 1

V x 4


R x 1




9. The installation is complete.

WARNING


- This product contains small parts and a packaging bag inside. Please throw it away in time when opening it, and do not approach the fire source.
- Please use it under the supervision of an adult after installation.
- This product is for family indoor use only. Safety mats should be laid on the safe part of the equipment when using it. Children must be accompanied by an adult to ensure safety.
- This product carries a maximum weight of 20kg for children.

O x 1**P** x 1**T** x 2**K** x 1


1. Relier la longue glissière et la courte glissière et serrer avec les vis en acier.

M x 1**N** x 1**A** x 1**U** x 7


2. Installez la rampe de protection M, N sur un côté le long de la glissière

M x 1**N** x 1**A** x 1**U** x 7


3. Installez la rampe de protection M, N sur un côté le long de la glissière.

G x 4**L** x 1**V** x 5


4. Installer la glissière et les pédales sur une planche latérale du toboggan, et serrer avec l'écrou en forme de fleur.

L x 1**V** x 5

5. Installez le trou correspondant sur l'autre planche latérale du toboggan et serrez l'écrou en forme de fleur.

B x 1**C** x 2**E** x 1**F** x 1**U** x 6

6. Installez le dossier de la balançoire, les flancs de la balançoire et les accoudoirs de la balançoire sur la base de la balançoire et serrez-les avec l'écrou transversaltransversal.


D x 4**J** x 2**Q** x 1**V** x 1

7. Installez la boucle à ressort dans les trous situés aux deux extrémités de la poutre, passez à travers la planche latérale de la balançoire, fixez-la avec la boucle de la balançoire, installez la boucle de connexion, et enfin fixez la planche latérale du toboggan.

I x 2

W x 2

V x 2




8. Installez la base de la balançoire sur la plaque latérale du toboggan.

L x 1

V x 4

R x 1



9. L'installation est terminée.

AVERTISSEMENT

- Ce produit contient de petites pièces et un sac d'emballage à l'intérieur. Veuillez vous en débarrasser à temps en l'ouvrant et ne pas vous approcher du foyer d'incendie.
- Veuillez l'utiliser sous la surveillance d'un adulte après l'installation.
- Ce produit est destiné à un usage familial à l'intérieur uniquement. Des tapis de sécurité doivent être posés sur la partie sûre de l'équipement lors de son utilisation. Les enfants doivent être accompagnés d'un adulte pour garantir la sécurité.
- Ce produit peut supporter un poids maximum de 20 kg pour les enfants.

